





Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



Structural Diagram

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	E2000APC-E2000APC SM G657A2 SX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-SX-E20A-FP-2.0/3.0-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE




Side A
E2000/UPC SM

Simplex Fiber Cable LSZH G657.A

Side B
E2000/UPC SM



L (+10/ -0 CM)




Structural Diagram


Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 55\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC SM G657A2 SX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-SX-E20U-FP-2.0/3.0-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE





Simplex Fiber Cable LSZH G657.A



Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 55\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCAPC-LCUPC SM G657A2 SX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-SX-E20AU-FP-2.0/3.0-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07