





Structural Diagram



Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 55\text{dB}$
- 3.Operation Environment: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	LCUPC-LCUPC SM G657A2 Duplex 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-2F-LCUPC-FP-2.0/3.0-SM-DX			
FIRST ANGLE PROJECTION	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.29	
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.29	
						APPROVED	STEVEN Zhang	DATE	2025.04.29	



Structural Diagram



Specification:

- 1.Low Loss IL: $\leq 0.2\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$
- 4.Storage Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	LCAPC-LCAPC SM G657A2 Duplex 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-2F-LCAPC-FP-2.0/3.0-SM-DX			
FIRST ANGLE PROJECTION	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.29	
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.29	
						APPROVED	STEVEN Zhang	DATE	2025.04.29	



Structural Diagram



Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$
- 4.Storage Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	LCUPC-LCUPC OM1 / 2 Duplex 2.0/3.0mm Orange LSZH CPR-Dca Cable						OP-2F-LCUPC-FP-2.0/3.0-M1/2-DX			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.29	
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.29	
						APPROVED	STEVEN Zhang	DATE	2025.04.29	




Structural Diagram



Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	LCUPC-LCUPC OM3 /4 Duplex 2.0/3.0mm Aqua LSZH CPR-Dca Cable						OP-2F-LCUPC-FP-2.0/3.0-M3/4-DX		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.29
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.29
						APPROVED	STEVEN Zhang	DATE	2025.04.29



Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$
- 4.Storage Environment: $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$



SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	LCUPC-LCUPC OM5 Duplex 2.0/3.0mm Lime Green LSZH CPR-Dca Cable						OP-2F-LCUPC-FP-2.0/3.0-M5-DX			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.29	
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.29	
						APPROVED	STEVEN Zhang	DATE	2025.04.29	